

AD-A116 876

EDUCATIONAL TESTING SERVICE PRINCETON NJ  
DEVELOPING A COMMON METRIC IN ITEM RESPONSE THEORY.(U)  
JUN 82 M L STOCKING, F M LORD  
ETS-RR-82-25-0NR

F/G 12/1

N00014-80-C-0402

NL

UNCLASSIFIED

1 OF 1  
AD 3  
16876

END  
DATE  
FILMED  
08-82  
DTIC

AD A116876

(12)  
RR-82-25-ONR

DEVELOPING A COMMON METRIC  
IN ITEM RESPONSE THEORY

Martha L. Stocking  
and  
Frederic M. Lord

This research was sponsored in part by the  
Personnel and Training Research Programs  
Psychological Sciences Division  
Office of Naval Research, under  
Contract No. N00014-80-C-0402

Contract Authority Identification Number  
NR No. 150-453

Frederic M. Lord, Principal Investigator



Educational Testing Service  
Princeton, New Jersey

June 1982

Reproduction in whole or in part is permitted  
for any purpose of the United States Government.

DTIC FILE COPY

DTIC

JUL 13 1982

H 6

Approved for public release; distribution  
unlimited.

82 07 13 017

DEVELOPING A COMMON METRIC  
IN ITEM RESPONSE THEORY

Martha L. Stocking

and

Frederic M. Lord

This research was sponsored in part by the  
Personnel and Training Research Programs  
Psychological Sciences Division  
Office of Naval Research, under  
Contract No. N00014-80-C-0402

Contract Authority Identification Number  
NR No. 150-453

Frederic M. Lord, Principal Investigator

Educational Testing Service

Princeton, New Jersey

June 1982

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
	AD-A12872	
4. TITLE (and Subtitle)	5. TYPE OF REPORT & PERIOD COVERED	
Developing a Common Metric in Item Response Theory	Technical Report	
6. AUTHOR(s)	7. PERFORMING ORG. REPORT NUMBER	
Virginia L. Stocking and Frederic M. Lord	RR-82-25-ONR	
8. PERFORMING ORGANIZATION NAME AND ADDRESS	9. CONTRACT OR GRANT NUMBER(s)	
National Testing Service Princeton, NJ 08541	N00014-80-C-0402	
10. CONTROLLING OFFICE NAME AND ADDRESS	11. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS	
Personnel and Training Research Programs Office of Naval Research (Code 458) Arlington, VA 22217	NR 150-453	
12. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	13. REPORT DATE	
	June 1982	
	14. NUMBER OF PAGES	
	29	
	15. SECURITY CLASS. (of this report)	
	Unclassified	
	16. DECLASSIFICATION/DOWNGRADING SCHEDULE	
17. DISTRIBUTION STATEMENT (of this Report)		
Approved for public release; distribution unlimited.		
18. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
19. SUPPLEMENTARY NOTES		
20. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
Item Response Theory, Common Metric, Scale Transformations, Item Banking, Equating, Item Bias		
21. ABSTRACT (Continue on reverse side if necessary and identify by block number)		
<p>A common problem arises when independent estimates of item parameters from two separate data sets must be expressed in the same metric. This problem is frequently confronted in studies of horizontal and vertical equating and in studies of item bias. This paper discusses a number of methods for transforming one metric to another metric and presents a new method. Data are given comparing this new method with a current method and recommendations are made.</p>		

DD FORM 1 JAN 73 1473

EDITION OF NOV 68 IS OBSOLETE  
S. N. 0102-02-014-6001

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

S N 0102- LF-014-6601

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

## Developing a Common Metric in Item Response Theory

### Abstract

A common problem arises when independent estimates of item parameters from two separate data sets must be expressed in the same metric. This problem is frequently confronted in studies of horizontal and vertical equating and in studies of item bias. This paper discusses a number of methods for transforming one metric to another metric and presents a new method. Data are given comparing this new method with a current method and recommendations are made.

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
and/or	
Dist	
A	



## Developing a Common Metric in Item Response Theory\*

### Introduction

Suppose that item parameters for a given set of items have been independently estimated using data obtained from two different groups of examinees. These item parameter estimates will be different because the metric or scale defined by each independent calibration of the items is different. Many applications of item response theory (IRT) require that these item parameter estimates be expressed in the same metric. Such applications include vertical score-scale equating, horizontal score-scale equating, and item bias studies.

It is possible to transform item parameter estimates in one metric to another metric by a number of different methods. This paper will discuss the nature of these scale transformations, survey a number of current transformation methods, and present a new method and some results of its application.

### The Nature of Scale Transformations

Item response theory models  $P_i(\theta_a; \alpha_i, \beta_i, \gamma_i)$ , the probability of a correct response to item  $i$  by a person with ability level  $\theta_a$ . In typical models,  $P_i(\theta_a; \alpha_i, \beta_i, \gamma_i)$  is a function of  $\alpha_i(\theta_a - \beta_i)$ , where  $\alpha_i$  is the item discrimination,  $\beta_i$  is the item difficulty,

---

\*This work was supported in part by contract N00014-80-C-0402, project designation NR150-453 between the Office of Naval Research and Educational Testing Service. Reproduction in whole or in part is permitted for any purpose of the United States Government.



and  $\gamma_i$  is the probability that an individual of very low ability answers the item correctly. When  $P_i(\theta_a; \alpha_i, \beta_i, \gamma_i)$  is a function of  $\alpha_i(\theta_a - \beta_i)$ , the origin and unit of measurement of the ability (and difficulty) metric are undetermined. That is to say, suppose  $\theta_a$  is transformed by a linear transformation, producing  $\theta_a^*$ . Suppose the same linear transformation is applied to  $\beta_i$  to produce  $\beta_i^*$ . Finally,  $\alpha_i$  is divided by the multiplicative constant of the linear transformation to produce  $\alpha_i^*$ . These transformations will not change the probability of a correct response:  $P_i(\theta_a^*; \alpha_i^*, \beta_i^*, \gamma_i) = P_i(\theta_a; \alpha_i, \beta_i, \gamma_i)$ . Notice that no transformation is necessary for the  $\gamma_i$  because  $\gamma_i$  is on the probability metric.

If an item is calibrated, i.e., its parameters are estimated, as part of one test, and then calibrated as part of a second test given to a different group, the actual values of the estimates of the parameters will differ because the scales established by the two calibrations differ. However, the relationship between these two scales will be linear since they differ only in origin and unit of measurement.

If  $b_{i1}$  is the estimate of item difficulty from the calibration of item  $i$  in test 1, and  $b_{i2}$  is the estimate of the same item difficulty from the calibration of test 2,  $b_{i2}^*$ , the value of  $b_{i2}$  transformed to the scale of test 1, is

$$b_{i2}^* = Ab_{i2} + B, \quad (1)$$

where  $A$  and  $B$  are constants of the linear transformation of scale.  
 If estimated item difficulties are transformed by a linear transformation, estimated abilities must be transformed by the same transformation, thus

$$\theta_{a2}^* = A\hat{\theta}_{a2} + B \quad . \quad (2)$$

If estimated item difficulty and ability are transformed by these linear expressions, then estimated item discrimination is transformed by

$$a_{i2}^* = a_{i2}/A \quad . \quad (3)$$

These transformations do not change  $a_{i2}(\hat{\theta}_{a2} - b_{i2})$ , consequently

$$P_i(\hat{\theta}_{a2}; a_{i2}, b_{i2}, c_{i2}) = P_i(\theta_{a2}^*, a_{i2}^*, b_{i2}^*, c_{i2}) \quad .$$

The problem of transforming the scales reduces to the problem of finding the appropriate  $A$  and  $B$  of the linear transformation. If we were dealing with true values of the parameters on their respective scales, it would be simple to find the correct values of  $A$  and  $B$ ; we could plot the values of two or more item difficulties and determine the line passing through them. But, we do not have true values; we have only estimates of them, and these estimates contain error. The estimated item difficulties will not fall into a straight line, but be scattered around some straight line. All methods of transforming scales attempt to estimate the parameters of this line by various techniques, and are applicable to any IRT model where  $P_i(\theta_a; \alpha_i, \beta_i, \gamma_i)$  is a function of  $a_i(\theta_a - \beta_i)$ .

### Current Methods

Superficially, the problem of finding the linear relationship between two sets of numbers might seem to call for simple regression techniques. The estimated item difficulties (or abilities) from one calibration might be used as the independent variable, and those obtained from the second calibration as the dependent variable. This approach would be incorrect. A regression approach assumes the independent variable is measured without error; we know this is not the case. But more important, a regression procedure is not symmetric with respect to its treatment of the two estimates of item difficulties. Since we have no reason for emphasizing or favoring one estimate of item difficulty over another estimate of the same item difficulty, we require a symmetric procedure.

A class of symmetric methods uses the first two moments of the distributions of estimated item difficulties. These methods find the parameters of the linear transformation,  $A$  and  $B$ , such that the mean and standard deviation of the transformed distribution of estimated item difficulties from the second calibration are equal to the mean and standard deviation of the estimated item difficulties from the first calibration.

A simple application of this method is found in Marco (1977) and in Cook, Eignor, and Hutten (1979). Poorly estimated item difficulties may have a serious impact on the computation of sample moments, however, producing a linear transformation that cannot be useful. Cook et al. (1979)

attempt to solve this by restricting the range of the difficulties used in computing moments.

Bejar and Wingersky (1981) use a more elaborate approach. Robust methods that give smaller weights to outlying points are used to estimate the moments. Linn, Levine, Hastings, & Wardrop (1980) attempt to reduce the influence of outliers by using weighted moments where the weights are inversely proportional to the estimated standard error of the estimates of the item difficulties.

The Bejar and Wingersky procedure treats all outliers in the same fashion, regardless of their standard error. The Linn et al. procedure treats all points with the same standard error in the same fashion, regardless of their outlier status. A procedure was developed by Lord and Stocking which attempts to overcome these potential problems. This procedure begins with a weighted estimate of the transformation exactly as in Linn et al. A robust procedure is then used to give small weights to those values whose perpendicular distance from this initial line is large, and a new line is estimated. The robust weighting is repeated until changes in the perpendicular distances become small. Details of this method are presented in the Appendix. Some results of this method will be described in subsequent sections of this paper.

A drawback of all of these "mean and sigma" transformation procedures is that they are typically applied only to the estimated item difficulties. That is, the  $A$  and  $B$  of the linear transformation of scale are estimated using only the  $b_i$ , and then applied to transform the  $\hat{\theta}_a$  and the  $a_i$ . While this is theoretically correct, better methods may exist which use more of the information available from the calibrations.

A class of methods, called "characteristic curve methods" in this paper, uses more information from calibrations. Each calibration of an item yields an estimated item response function or item characteristic curve  $P_i(\theta_a) \equiv P_i(\theta_a; a_i, b_i, c_i)$ . If estimates were error free, the proper choice of  $A$  and  $B$  for the linear transformation would cause these two curves to coincide. Haebara (1980) averages the squared difference between the individual item response functions over a suitable distribution of  $\theta$ , sums over the items common to the two calibrations, and chooses  $A$  and  $B$  to minimize this sum. Divgi (1980) chooses the  $A$  and  $B$  of the linear transformation to minimize the maximum difference between the sum of item response functions for the first calibration and the sum of the item response functions for the second calibration.

#### The New Method

This method falls into the class of characteristic curve methods. An examinee,  $a$ , with ability  $\theta_a$  has a true score  $\xi_a$  defined by

$$\xi_a \equiv \xi(\theta_a) \equiv \sum_{i=1}^n P_i(\theta_a; a_i, b_i, c_i) \quad , \quad (4)$$

where  $n$  is the number of items in the test. The correct linear transformation of scales from two different calibrations of the same test would

produce the same true scores for examinee  $a$  if the  $a_i$ ,  $b_i$ ,  $c_i$  were known. If  $\xi_a^*$  is the estimated true score obtained from the second calibration of the test after it has been transformed to the scale of the first, then

$$\xi_a^* \equiv \xi_a^*(\cdot) \equiv \sum_{i=1}^n P_i(\cdot; a_i^*, b_i^*, c_i) \quad (5)$$

For an examinee, the difference  $(\xi_a - \xi_a^*)$  should be small. In practice, we want to choose  $A$  and  $B$  such that for a suitable group of examinees, the average squared difference between true score estimates is as small as possible. The function to be minimized is

$$F = \frac{1}{N} \sum_{a=1}^N (\xi_a - \xi_a^*)^2, \quad (6)$$

where  $N$  is the number of examinees in the arbitrary group.

This function  $F$  considered as a function of  $A$  and  $B$  will be minimized when

$$\frac{\partial F}{\partial A} = \frac{-2}{N} \sum_{a=1}^N (\xi_a - \xi_a^*) \frac{\partial \xi_a^*}{\partial A} = 0, \quad (7)$$

and

$$\frac{\partial F}{\partial B} = \frac{-2}{N} \sum_{a=1}^N (\xi_a - \xi_a^*) \frac{\partial \xi_a^*}{\partial B} = 0. \quad (8)$$

Now, using the chain rule of differentiation,

$$\frac{\partial \hat{a}}{\partial A} = \sum_{i=1}^n \left( \frac{\partial P_i(a; a_{i2}^*, b_{i2}^*, c_{i2})}{\partial b_{i2}^*} \frac{\partial b_{i2}^*}{\partial A} + \frac{\partial P_i(a; a_{i2}^*, b_{i2}^*, c_{i2})}{\partial a_{i2}^*} \frac{\partial a_{i2}^*}{\partial A} \right) \quad (9)$$

Differentiating equations (1) and (3) gives  $\frac{\partial b_{i2}^*}{\partial A} = A$  and  $\frac{\partial a_{i2}^*}{\partial A} = \frac{-a_{i2}}{A^2}$ .

Substituting these derivatives into (9) gives the partial derivative

$$\frac{\partial \hat{a}}{\partial A} = \sum_{i=1}^n \left( b_{i2} \frac{\partial P_i(a; a_{i2}^*, b_{i2}^*, c_{i2})}{\partial b_{i2}^*} - \frac{a_{i2}}{A^2} \frac{\partial P_i(a; a_{i2}^*, b_{i2}^*, c_{i2})}{\partial a_{i2}^*} \right) \quad (10)$$

Also,

$$\frac{\partial \hat{a}}{\partial B} = \sum_{i=1}^n \frac{\partial P_i(a; a_{i2}^*, b_{i2}^*, c_{i2})}{\partial b_{i2}^*} \frac{\partial b_{i2}^*}{\partial B} \quad (11)$$

From equation (1),  $\frac{b_{i2}^*}{B} = 1$ , and substitution into (11) gives

$$\frac{\partial \hat{a}}{\partial B} = \sum_{i=1}^n \frac{\partial P_i(a; a_{i2}^*, b_{i2}^*, c_{i2})}{\partial b_{i2}^*} \quad (12)$$

The functional form of the partial derivatives of the item response function depends on the mathematical model chosen. Formulas for the partial derivatives for the three-parameter logistic item response function are given in Lord (1980, Chapter 4).

Once the functional form for the item response function is chosen, its derivatives are substituted into equations (10) and (12). These new expressions are then substituted into equations (7) and (8) to find the location of the minimum of  $F$  in equation (6).

In the applications described in the following section, the arbitrary group of examinees over which the function was minimized was chosen to be a spaced sample of about 200 examinees from the first calibration of a test. The parameters  $A$  and  $B$  of the linear transformation were found by minimizing  $F$  using the multivariate search technique by Davidon (1959) and Fletcher and Powell (1963).

## Results

### The Data and Analyses

Data from about 2000 examinees from each of 12 separate administrations of the Scholastic Aptitude Test (SAT) were selected for this study.

The SAT consists of six, 30-minute sections: two operational verbal sections, two operational mathematical sections, one Test of Standard Written English (TSWE) and one variable section containing equating or pretest items. The two verbal sections contain 40 and 45 items respectively; mathematical sections are 25 and 35 items respectively. Verbal equating or pretest sections are 40 items long; corresponding mathematical sections are 25 items long. TSWE data were not used in this study.

Each box in Exhibit 1 represents the operational sections, either verbal or mathematical, of a particular form of the SAT (upper case letters and numbers) and the equating section administered with that test form



(lower case letters). Each box contains items that are the same as items shown in boxes above and below it. For example, the second box in the verbal series contains items designated "X2fe." The "fe" items overlap with those contained in the box labeled "V4fe"; the "X2" items overlap with those contained in the box labeled "X2fm." The last box in each of the verbal and mathematical series contains items that overlap with the items in the first box, thus forming a closed chain.

Each box represents a separate calibration run using the computer program LOGIST (Wingersky, in press; Wingersky, Barton, Lord, 1982). For both the verbal chain and the mathematical chain, the scale established by the calibration of the items in the first box in the chain was arbitrarily chosen as the "base scale" for that chain. The estimates of item parameters for the overlapping items were then used to transform the scales established by the separate calibrations onto the appropriate base scale. For the verbal chain, for example, X2fe was transformed to the scale of V4fe using the item parameter estimates for the fe items that appear in both calibrations. Then X2fm was transformed to the scale of the transformed X2fe items, using the item parameter estimates for the X2 common items. This, of course, places the X2fm items on the V4fe scale. The next set of items, Y3fm, was transformed to the scale of the transformed X2fm items and so forth, until all items were placed on the scale of V4fe.

This sequential transformation process was performed in two ways:  
(1) the robust mean and sigma Lord and Stocking method described in

Verbal Chain

Mathematical Chain

V4 fe

V4 ff

fe X2

ff X2

X2 fm

X2 fn

fm Y3

fn Y3

Y3 fw

Y3 fx

fw B3

fx B3

B3 fk

B3 fl

fk Y2

fl Y2

Y2 fu

Y2 fv

fu Z5

fv Z5

Z5 et

Z5 eu

et V4

eu V4

Exhibit 1: Verbal and Mathematical Chains. Each box contains verbal or mathematical sections (capital letters and numbers) and an equating section (small letters).

the Appendix and (2) the new characteristic curve method described previously. This allows the comparison of the end results of the chaining process between the two transformation methods, but does not allow the comparison of the results of individual "links" in the chain.

To compare individual links in the chain, each link in the chain from the robust mean and sigma method was repeated exactly with the characteristic curve method. For example, in the verbal chain, X2fm was transformed to the scale of the (mean and sigma) transformed X2fe by the mean and sigma method as part of the sequential chaining using this method. This link was repeated exactly by using the characteristic curve method to transform X2fm to the scale of the (mean and sigma) transformed X2fe. In contrast to the chain of characteristic curve transformations, this series of characteristic curve transformations does not form a chain.

#### Results of Transformations for Verbal Items--Individual Links

A typical comparison of individual links is shown in Figures 1 and 2. In Figure 1, the horizontal axis is the (robust mean and sigma) transformed item difficulties for operational section X2 from the X2fe calibration. The vertical axis is the scale of the item difficulties for operational section X2 from the X2fm calibration. In Figure 2, the horizontal axis is the scale of the (robust mean and sigma) transformed item discriminations from X2 of X2fe. The vertical axis is the scale of the item discriminations of X2 from X2fm. The solid line through the




Figure 1. The two transformations for item difficulties compared for a typical verbal link.




Figure 2. The two transformations for item discriminations compared for a typical verbal link.

the points in each figure is the linear transformation estimated by the robust mean and sigma method. The dashed line is the linear transformation estimated by the new characteristic curve method. The linear transformations do not differ much.

The largest difference found between the two methods for the verbal chain is shown in Figures 3 and 4. Figure 3 shows the presence of six points which could be considered outliers. The robust mean and sigma method explicitly tries to deal with these points, first by giving them low weights if the estimated standard errors are large, and then by giving them low weights if the perpendicular distance to the initial line is large. These points all ended up with weights which were very small or zero, thus some available information may have been discarded. The characteristic curve method does not discard any information. No other verbal link contained as many outliers as this one. It is possible that the difference between the two methods is due to their differential discarding of information.

On the whole, the direct comparison of individual links shows little difference between the two transformation methods for verbal data.

#### Results of Transformations for Mathematical Items--Individual Links

Most of the comparisons of the two transformation methods using mathematical data show little difference between the two methods. There are exceptions, one of which is shown in Figures 5 and 6. Inspection of Figure 5 shows the characteristic curve transformation is clearly a better fit to the data than the robust mean and sigma




Figure 3. The two transformations for item difficulties compared for the worst verbal link.




Figure 4. The two transformations for item discriminations compared for the worst verbal link.



transformation. This difference is more visible in Figure 6 where the robust mean and sigma transformation of the item discriminations produces unsatisfactory results. The line does not bisect the point cloud; there are only 18 out of 60 points below the line. The characteristic curve transformation was better; 31 out of 60 points are below the line.

There were two links which produced comparisons of this kind. That is, the characteristic curve transformation worked better than the mean and sigma transformation in both the fit to the item difficulties and the fit to the item discriminations. There were no links in which the mean and sigma transformation fit both the item difficulties and item discriminations better.

#### Chain Results

The cumulative results of chains of transformations may be evaluated by transforming the last (transformed) set of items in the chain directly to the base scale defined by the first set of items. Since the first and last sets of items are identical, this transformation should be an identity transformation. Figure 7 shows this comparison of each transformation method for the SAT verbal chain, and the identity transformation. The difficulties for items common to the first and last set of items are plotted on the horizontal axis. Figure 8 displays the same information for the SAT mathematical chain.




Figure 5. The two transformations for item difficulties compared for a bad mathematical link.




Figure 6. The two transformations for item discriminations compared for a bad mathematical link.




Figure 7. The final transformations for the SAT verbal chain.




Figure 8. The final transformations for the SAT mathematical chain.

The robust mean and sigma method gives slightly better results than the characteristic curve method for verbal data. For mathematical data, the characteristic curve method worked better than the robust mean and sigma method.

### Conclusions

In situations where the robust mean and sigma transformation method worked well, as in the verbal data and most of the mathematical data, the characteristic curve method also worked well. However, the robust mean and sigma method sometimes produced unsatisfactory results. In these instances, the characteristic curve method worked much better. In particular, the characteristic curve method produced a much better transformation for the item discriminations (see Figure 6). If one is choosing a transformation method, the characteristic curve method, which uses more of the information available from each of the calibrations, would be recommended by the authors.

## Appendix

### Transforming Logistic Scales Using a Robust Iterative Weighted Mean and Sigma Method

This transformation method uses a function of the estimated standard errors of the estimated item difficulties for common items as weights to determine an initial transformation line based on mean and sigma equating of weighted estimates of item difficulties for the common items. A new set of weights is computed using a combination of the estimated standard error weights and robust (Tukey) weights based on perpendicular distances to the line. A new transformation line is computed and the procedure iterates until the maximum change in the perpendicular distances is less than some criterion.

#### Method

##### Computing the Standard Errors

The inverse of the information matrix  $I$  (p. 191 of Lord (1980)) is an approximation to the variance/covariance matrix for the item parameter estimates. The diagonal element of the inverse corresponding to the item difficulty is the estimated variance of the estimate of item difficulty. The square root of this quantity is the estimated standard error of the estimate of item difficulty.

Each item has two estimated item difficulties, one from each calibration. Therefore, each item has two estimated standard errors. The initial weight for an item to be used in the iterative procedure is the reciprocal of the larger estimated squared standard error of the estimated item difficulty.

The accuracy with which an estimated standard error of  $b$  is computed is the ratio of the determinant to the product of the diagonals of the information matrix. If this ratio is less than 0.0001, the estimated standard error is not accurate. The item is given a standard error weight of zero.

All people are included in the computation except those who did not reach the item.

#### Computing the Mean and Sigma Transformation

We have two distributions of weighted estimated item difficulties, one from each calibration. We let  $b_1$  be the distribution from the first calibration, and  $b_2$  be the distribution from the second calibration and compute

$$\begin{aligned} \bar{x}_{b_1} &, \text{ the mean of } b_1, \\ \sigma_{b_1} &, \text{ the standard deviation of } b_1, \\ \bar{x}_{b_2} &, \text{ the mean of } b_2, \\ \sigma_{b_2} &, \text{ the standard deviation of } b_2. \end{aligned}$$

The mean and sigma transformation (line) to put the second calibration estimated item difficulties onto the scale of the first is

$$b'_2 = A * b_2 + B,$$

where  $b'_2$  is the transformed distribution from the second calibration.

For this transformation,

$$\begin{aligned} A &= \sigma_{b_1} / \sigma_{b_2}, \\ B &= \bar{x}_{b_1} - A * \bar{x}_{b_2}. \end{aligned}$$



### Computing the Tukey Weights

Page 20 of Mosteller and Tukey (1977) gives a method of computing a robust estimate of location by weighting data with differential weights. We use only one piece of this process, namely the formula for the weights.

For our purposes,  $Y^*$  is the transformation line we have tentatively found. We replace Tukey's  $(Y(i) - Y^*)$  with the perpendicular distance of a point to the line.

Let  $D(i)$  equal the absolute value of the perpendicular distance. Then our weights,  $T(i)$ , are

$$T(i) = \begin{cases} \{1 - (D(i)/CS)^2\}^2 & \text{when } (D(i)/CS)^2 < 1 \\ 0 & \text{otherwise} \end{cases}$$

where  $S$  is the median of the  $D(i)$  and  $C$  is a constant equal to 6.

### The Iterative Procedure

The iterative procedure is as follows:

Step 1: For each item difficulty, for each common item, compute

$$W(i) = SE(B(i))^{-2} ,$$

where  $SE(B)$  is the larger of the two estimated standard errors.

Step 2: Compute a vector of scaled weights

$$W(i)' = W(i)/(\text{sum of } W(i)) .$$

Step 3: Compute the mean and sigma transformation line between the two sets of estimated item difficulties weighted by  $W'$ , and get the slope,  $A$ , and the intercept,  $B$ .

Step 4: Compute the perpendicular distances of each point to the line.

Step 5: Compute the Tukey weights,  $T(i)$  for each item, using these perpendicular distances.

Step 6: Reweight each point by a combined weight  $U(i)$ , where

$$U(i) = (W(i) * T(i)) / (\text{sum of } W(i) * T(i))$$

Step 7: Compute the weighted mean and sigma transformation line using these new weights.

Step 8: Repeat Steps 4, 5, and 6 until the maximum change in the perpendicular distances is less than 0.01.

#### Result

This procedure gives low weights to poorly determined item difficulties or to item difficulties which are outliers. Once the final transformation is found for the estimated item difficulties, the estimated item discriminations are transformed, as well as the ability estimates.

References

- Bejar, I., & Wingersky, M. S. An application of item response theory to equating the Test of Standard Written English (College Board Report No. 81-8 and Educational Testing Service Research Report 81-35). Princeton, N.J.: College Board Publication Orders, 1981.
- Cook, L. L., Eignor, D. R., & Hutton, L. R. Considerations in the application of latent trait theory to objectives-based criterion-referenced tests. Paper presented at the meeting of the American Educational Research Association, San Francisco, 1979.
- Davidon, W. C. Variable metric method for minimization (Research and Development Report ANL-5990, rev. ed.). Argonne, Ill.: Argonne National Laboratory, U.S. Atomic Energy Commission, 1959.
- Divgi, D. R. Evaluation of scales for multilevel test batteries. Revision of paper presented at the meeting of the American Educational Research Association, Boston, 1980.
- Fletcher, R., & Powell, M. J. D. A rapidly convergent descent method for minimization. The Computer Journal, 1963, 6, 163-168.
- Haebara, T. Equating logistic ability scales by a weighted least squares method. Japanese Psychological Research, 1980, 22, 144-149.

- Linn, R. L., Levine, M. V., Hastings, C. N., & Wardrop, J. L. An investigation of item bias in a test of reading comprehension (Technical Report No. 163). Urbana, Ill.: Center for the Study of Reading, University of Illinois, 1980.
- Lord, F. M. Applications of item response theory to practical testing problems. Hillsdale, N.J.: Lawrence Erlbaum Associates, 1980.
- Marco, G. L. Item characteristic curve solutions to three intractable testing problems. Journal of Educational Measurement, 1977, 14, 139-160.
- Mosteller, F. & Tukey, J. W. Data analysis and regression: A second course in statistics. Reading, Mass.: Addison-Wesley, 1977.
- Petersen, N. S., Cook, L. L., & Stocking, M. L. IRT versus conventional equating methods: A comparative study of scale stability. Paper presented at the meeting of the American Educational Research Association, Los Angeles, 1981.
- Wingersky, M. S. LOGIST: A program for computing maximum likelihood procedures for logistic test models. In R. K. Hambleton (Ed.), ERIBC monograph on applications of item response theory. Vancouver, B.C.: Educational Research Institute of British Columbia, in press.
- Wingersky, M. S., Barton, M. A., & Lord, F. M. LOGIST user's guide. Princeton, N.J.: Educational Testing Service, 1982.

## DISTRIBUTION LIST

### Navy

- |  |   |
|--|---|
| 1 Dr. Jack R. Borsting<br>Provost and Academic Dean<br>U.S. Naval Postgraduate School<br>Monterey, CA 93940  | 1 Dr. Norman J. Kerr<br>Chief of Naval Technical Training<br>Naval Air Station Memphis (75)<br>Millington, TN 38054   |
| 1 Chief of Naval Education and<br>Training Liason Office<br>Air Force Human Resource Laboratory<br>Flying Training Division<br>Williams Air Force Base, AZ 85224               | 1 Dr. William L. Maloy<br>Principal Civilian Advisor for<br>Education and Training<br>Naval Training Command, Code 00A<br>Pensacola, FL 32508                         |
| 1 CDR Mike Curran<br>Office of Naval Research<br>800 North Quincy Street<br>Code 270<br>Arlington, VA 22217  | 1 CAPT Richard L. Martin, USN<br>Prospective Commanding Officer<br>USS Carl Vinson (CNV-70)<br>Newport News Shipbuilding and<br>Drydock Co.<br>Newport News, VA 23607 |
| 1 Dr. Pat Federico<br>Navy Personnel R & D Center<br>San Diego, CA 92152   | 1 Dr. James McBride<br>Navy Personnel R & D Center<br>San Diego, CA 92152   |
| 1 Mr. Paul Foley<br>Navy Personnel R & D Center<br>San Diego, CA 92152   | 1 Mr. William Nordbrock<br>Instructional Program Development<br>Building 90<br>NET-PDCD<br>Great Lakes NTC, IL 60088  |
| 1 Dr. John Ford<br>Navy Personnel R & D Center<br>San Diego, CA 92152  | 1 Library, Code P201L<br>Navy Personnel R & D Center<br>San Diego, CA 92152   |
| 1 Patrick R. Harrison<br>Psychology Course Director<br>Leadership and Law Department (7b)<br>Division of Professional Development<br>U.S. Naval Academy<br>Annapolis, MD 21402 |   |

- 6 Commanding Officer  
Naval Research Laboratory  
Code 2627  
Washington, DC 20390
- 1 Psychologist  
ONR Branch Office  
Building 114, Section D  
666 Summer Street  
Boston, MA 02210
- 1 Office of Naval Research  
Code 437  
800 North Quincy Street  
Arlington, VA 22217
- 5 Personnel and Training Research  
Programs  
Code 458  
Office of Naval Research  
Arlington, VA 22217
- 1 Psychologist  
ONR Branch Office  
1030 East Green Street  
Pasadena, CA 91101
- 1 Office of the Chief of Naval Operations  
Research Development and Studies Branch  
OP-115  
Washington, DC 20350
- 1 The Principal Deputy Assistant  
Secretary of the Navy (MRA&L)  
4E780, The Pentagon  
Washington, DC 22203
- 1 Director, Research and  
Analysis Division  
Plans and Policy Department  
Navy Recruiting Command  
4015 Wilson Boulevard  
Arlington, VA 22203
- 1 Mr. Arnold Rubenstein  
Office of Naval Technology  
800 N. Quincy Street  
Arlington, VA 22217
- 1 Dr. Worth Scanland, Director  
Research, Development, Test  
and Evaluation  
N-5  
Naval Education and Training Command  
NAS  
Pensacola, FL 32508
- 1 Dr. Robert G. Smith  
Office of Chief of Naval Operations  
OP-987H  
Washington, DC 20350
- 1 Dr. Alfred F. Smode  
Training Analysis and Evaluation Group  
Department of the Navy  
Orlando, FL 32813
- 1 Dr. Richard Sorensen  
Navy Personnel R & D Center  
San Diego, CA 92152
- 1 Mr. J. B. Sympson  
Naval Personnel R & D Center  
San Diego, CA 92152
- 1 Dr. Ronald Weitzman  
Code 54 WZ  
Department of Administrative Services  
U.S. Naval Postgraduate School  
Monterey, CA 93940

1 Dr. Robert Wisher  
Code 309  
Navy Personnel R & D Center  
San Diego, CA 92152

1 Dr. Martin F. Wiskoff  
Navy Personnel R & D Center  
San Diego, CA 92152

1 Mr. John H. Wolfe  
Code P310  
U.S. Navy Personnel Research  
and Development Center  
San Diego, CA 92152

1 Mr. Ted M. I. Yellen  
Technical Information Office  
Code 201  
Navy Personnel R & D Center  
San Diego, CA 92152

Army

1 Technical Director  
U.S. Army Research Institute for the  
Behavioral and Social Sciences  
5001 Eisenhower Avenue  
Alexandria, VA 22333

1 Dr. Myron Fischl  
U.S. Army Research Institute for the  
Social and Behavioral Sciences  
5001 Eisenhower Avenue  
Alexandria, VA 22333

1 Dr. Michael Kaplan  
U.S. Army Research Institute  
5001 Eisenhower Avenue  
Alexandria, VA 22333

1 Dr. Milton S. Katz  
Training Technical Area  
U.S. Army Research Institute  
5001 Eisenhower Avenue  
Alexandria, VA 22333

1 Dr. Harold F. O'Neil, Jr.  
Attn: PERI-OK  
Army Research Institute  
5001 Eisenhower Avenue  
Alexandria, VA 22333

1 LTC Michael Plummer  
Chief, Leadership and Organizational  
Effectiveness Division  
Office of the Deputy Chief of Staff  
for Personnel  
Department of the Army  
The Pentagon  
Washington, DC 20301

1 Dr. James L. Raney  
U.S. Army Research Institute  
5001 Eisenhower Avenue  
Alexandria, VA 22333

1 Mr. Robert Ross  
U.S. Army Research Institute for  
the Social and Behavioral Sciences  
5001 Eisenhower Avenue  
Alexandria, VA 22333

1 Dr. Robert Sasmor  
U.S. Army Research Institute for  
the Social and Behavioral Sciences  
5001 Eisenhower Avenue  
Alexandria, VA 22333

1 Commandant  
U.S. Army Institute of Administration  
Attn: Dr. Sherrill  
Ft. Benjamin Harrison, IN 46256

1 Dr. Joseph Ward  
U.S. Army Research Institute  
5001 Eisenhower Avenue  
Alexandria, VA 22333

Air Force

- 1 Air Force Human Resources Laboratory  
AFHRL/MPD  
Brooks Air Force Base, TX 78235
- 1 U.S. Air Force Office of  
Scientific Research  
Life Sciences Directorate  
Bolling Air Force Base  
Washington, DC 20332
- 1 Dr. Earl A. Alluisi  
HQ, AFHRL (AFSC)  
Brooks Air Force Base, TX 78235
- 1 Dr. Genevieve Haddad  
Program Manager  
Life Sciences Directorate  
AFOSR  
Bolling Air Force Base  
Washington, DC 20332
- 1 Dr. David R. Hunter  
AFHRL/MOAM  
Brooks Air Force Base, TX 78235
- 1 Research and Measurement Division  
Research Branch, AFMPC/MPCYPR  
Randolph Air Force Base, TX 78148
- 1 Dr. Malcolm Ree  
AFHRL/MP  
Brooks Air Force Base, TX 78235

Marines

- 1 Dr. H. William Greenup  
Education Advisor (E031)  
Education Center, MCDEC  
Quantico, VA 22134

- 1 Director, Office of Manpower  
Utilization  
HQ, Marine Corps (MPU)  
BCB, Building 2009  
Quantico, VA 22134
- 1 Special Assistant for Marine  
Corps Matters  
Code 100M  
Office of Naval Research  
800 N. Quincy Street  
Arlington, VA 22217
- 1 MAJ Michael L. Patrow, USMC  
Headquarters, Marine Corps  
Code MPI-20  
Washington, DC 20380
- 1 Dr. A. L. Slafkosky  
Scientific Advisor  
Code RD-1  
HQ, U.S. Marine Corps  
Washington, DC 20380
- Coast Guard
- 1 Chief, Psychological Research Branch  
U.S. Coast Guard (G-P-1/2/TP42)  
Washington, DC 20593
- 1 Mr. Thomas A. Warm  
U.S. Coast Guard Institute  
P.O. Substation 18  
Oklahoma City, OK 73169
- Other DoD
- 1 DARPA  
1400 Wilson Boulevard  
Arlington, VA 22209



- |  |  |
|--|--|
| <p>12 Defense Technical Information Center<br/>Cameron Station, Building 5<br/>Attn: TC<br/>Alexandria, VA 22314</p> <p>1 Dr. William Graham<br/>Testing Directorate<br/>MEPCOM/MEPCT-P<br/>Ft. Sheridan, IL 60037</p> <p>1 Director, Research and Data<br/>OASD (MRA&amp;L)<br/>3B919, The Pentagon<br/>Washington, DC 20301</p> <p>1 Military Assistant for Training<br/>and Personnel Technology<br/>Office of the Under Secretary of<br/>Defense for Research and Engineering<br/>Room 3D129, The Pentagon<br/>Washington, DC 20301</p> <p>1 Dr. Wayne Sellman<br/>Office of the Assistant Secretary<br/>of Defense (MRA&amp;L)<br/>2B269 The Pentagon<br/>Washington, DC 20301</p> <p>Civil Government</p> <p>1 Mr. Richard McKillip<br/>Personnel R &amp; D Center<br/>Office of Personnel Management<br/>1900 E Street, NW<br/>Washington, DC 20415</p> <p>1 Dr. Andrew R. Molnar<br/>Science Education Development<br/>and Research<br/>National Science Foundation<br/>Washington, DC 20550</p> | <p>1 Dr. H. Wallace Sinaiko<br/>Program Director<br/>Manpower Research and<br/>Advisory Services<br/>Smithsonian Institution<br/>801 North Pitt Street<br/>Alexandria, VA 22314</p> <p>1 Dr. Vern W. Urry<br/>Personnel R &amp; D Center<br/>Office of Personnel Management<br/>1900 E Street, NW<br/>Washington, DC 20415</p> <p>1 Dr. Joseph L. Young, Director<br/>Memory and Cognitive Processes<br/>National Science Foundation<br/>Washington, DC 20550</p> <p>Non-Government</p> <p>1 Dr. James Algina<br/>University of Florida<br/>Gainesville, FL 32611</p> <p>1 Dr. Erling B. Andersen<br/>Department of Statistics<br/>Studivestraede 6<br/>1455 Copenhagen<br/>DENMARK</p> <p>1 Psychological Research Unit<br/>Department of Defense (Army Office)<br/>Campbell Park Offices<br/>Canberra, ACT 2600<br/>AUSTRALIA</p> <p>1 Dr. Isaac Bejar<br/>Educational Testing Service<br/>Princeton, NJ 08541</p> |
|--|--|

- |  |   |
|--|---|
| <p>1 CAPT J. Jean Belanger<br/>Training Development Division<br/>Canadian Forces Training System<br/>CFTSHQ, CFB Trenton<br/>Astra, Ontario KOK 1B0<br/>CANADA</p> <p>1 Dr. Menucha Birenbaum<br/>School of Education<br/>Tel Aviv University<br/>Tel Aviv, Ramat Aviv 69978<br/>ISRAEL</p> <p>1 Dr. Werner Birke<br/>DezWPs im Streitkrafteamt<br/>Postfach 20 50 3<br/>D-5300 Bonn 2<br/>WEST GERMANY</p> <p>1 Dr. R. Darrell Bock<br/>Department of Education<br/>University of Chicago<br/>Chicago, IL 60637</p> <p>1 Liaison Scientists<br/>Office of Naval Research<br/>Branch Office, London<br/>Box 39<br/>FPO, NY 09510</p> <p>1 Dr. Robert Brennan<br/>American College Testing Programs<br/>P.O. Box 166<br/>Iowa City, IA 52240</p> <p>1 Dr. C. Victor Bunderson<br/>WICAT Inc.<br/>University Plaza, Suite 10<br/>1160 S. State Street<br/>Orem, UT 84057</p> <p>1 Dr. John B. Carroll<br/>Psychometric Laboratory<br/>University of North Carolina<br/>Davie Hall 013A<br/>Chapel Hill, NC 27514</p> | <p>1 Charles Myers Library<br/>Livingstone House<br/>Livingstone Road<br/>Stratford<br/>London E15 2LJ<br/>ENGLAND</p> <p>1 Dr. Kenneth E. Clark<br/>College of Arts and Sciences<br/>University of Rochester<br/>River Campus Station<br/>Rochester, NY 14627</p> <p>1 Dr. Norman Cliff<br/>Department of Psychology<br/>University of Southern California<br/>University Park<br/>Los Angeles, CA 90007</p> <p>1 Dr. William E. Coffman<br/>Director, Iowa Testing Programs<br/>334 Lindquist Center<br/>University of Iowa<br/>Iowa City, IA 52242</p> <p>1 Dr. Meredith P. Crawford<br/>American Psychological Association<br/>1200 17th Street, N<br/>Washington, DC 20036</p> <p>1 Dr. Fritz Drasgow<br/>Yale School of Organization and<br/>Management<br/>Yale University<br/>Box 1A<br/>New Haven, CT 06520</p> <p>1 Dr. Mike Durmeyer<br/>Instructional Program Development<br/>Building 90<br/>NET-PDCD<br/>Great Lakes NTC, IL 60088</p> <p>1 ERIC Facility-Acquisitions<br/>4833 Rugby Avenue<br/>Bethesda, MD 20014</p> |
|--|---|

- |  |   |
|--|---|
| <p>1 Dr. A. J. Eschenbrenner<br/>Dept. E422, Bldg. 81<br/>McDonald Douglas Astronautics Co.<br/>P.O. Box 516<br/>St. Louis, MO 63166</p> <p>1 Dr. Benjamin A. Fairbank, Jr.<br/>McFann-Gray and Associates, Inc.<br/>5825 Callaghan<br/>Suite 225<br/>San Antonio, TX 78228</p> <p>1 Dr. Leonard Feldt<br/>Lindquist Center for Measurement<br/>University of Iowa<br/>Iowa City, IA 52242</p> <p>1 Dr. Richard L. Ferguson<br/>The American College Testing Program<br/>P.O. Box 168<br/>Iowa City, IA 52240</p> <p>1 Dr. Victor Fields<br/>Department of Psychology<br/>Montgomery College<br/>Rockville, MD 20850</p> <p>1 Univ. Prof. Dr. Gerhard Fischer<br/>Psychologisches Institut der<br/>Universitat Wien<br/>Liebiggasse 5/3<br/>A 1010 Wien<br/>AUSTRIA</p> <p>1 Prof. Donald Fitzgerald<br/>University of New England<br/>Armidale, New South Wales 2351<br/>AUSTRALIA</p> <p>1 Dr. Edwin A. Fleishman<br/>Advanced Research Resources Organization<br/>Suite 900<br/>4330 East West Highway<br/>Washington, DC 20014</p> | <p>1 Dr. John R. Frederiksen<br/>Bolt, Beranek, and Newman<br/>50 Moulton Street<br/>Cambridge, MA 02138</p> <p>1 Dr. Robert Glaser<br/>LRDC<br/>University of Pittsburgh<br/>3939 O'Hara Street<br/>Pittsburgh, PA 15213</p> <p>1 Dr. Daniel Gopher<br/>Industrial and Management Engineering<br/>Technion-Israel Institute of<br/>Technology<br/>Haifa<br/>ISRAEL</p> <p>1 Dr. Bert Green<br/>Department of Psychology<br/>Johns Hopkins University<br/>Charles and 34th Streets<br/>Baltimore, MD 21218</p> <p>1 Dr. Ron Hambleton<br/>School of Education<br/>University of Massachusetts<br/>Amherst, MA 01002</p> <p>1 Dr. Delwyn Harnisch<br/>University of Illinois<br/>242b Education<br/>Urbana, IL 61801</p> <p>1 Dr. Chester Harris<br/>School of Education<br/>University of California<br/>Santa Barbara, CA 93106</p> <p>1 Dr. Lloyd Humphreys<br/>Department of Psychology<br/>University of Illinois<br/>Champaign, IL 61820</p> |
|--|---|

- 1 Library  
HumRRO/Western Division  
27857 Berwick Drive  
Carmel, CA 93921
- 1 Dr. Steven Hunka  
Department of Education  
University of Alberta  
Edmonton, Alberta  
CANADA
- 1 Dr. Jack Hunter  
2122 Coolidge Street  
Lansing, MI 48906
- 1 Dr. Huynh Huynh  
College of Education  
University of South Carolina  
Columbia, SC 29208
- 1 Prof. John A. Keats  
Department of Psychology  
University of Newcastle  
Newcastle, New South Wales 2308  
AUSTRALIA
- 1 Mr. Jeff Kelety  
Department of Instructional Technology  
University of Southern California  
Los Angeles, CA 90007
- 1 Dr. Michael Levine  
Department of Educational Psychology  
210 Education Building  
University of Illinois  
Champaign, IL 61801
- 1 Dr. Charles Lewis  
Faculteit Sociale Wetenschappen  
Rijksuniversiteit Groningen  
Oude Boteringestraat 23  
9712GC Groningen  
NETHERLANDS
- 1 Dr. Robert Linn  
College of Education  
University of Illinois  
Urbana, IL 61801
- 1 Dr. James Lumsden  
Department of Psychology  
University of Western Australia  
Nedlands, Western Australia 6009  
AUSTRALIA
- 1 Dr. Gary Marco  
Educational Testing Service  
Princeton, NJ 08541
- 1 Dr. Scott Maxwell  
Department of Psychology  
University of Houston  
Houston, TX 77004
- 1 Dr. Samuel T. Mayo  
Loyola University of Chicago  
820 North Michigan Avenue  
Chicago, IL 60611
- 1 Prof. Jason Millman  
Department of Education  
Stone Hall  
Cornell University  
Ithaca, NY 14853
- 1 Dr. Melvin R. Novick  
356 Lindquist Center for Measurement  
University of Iowa  
Iowa City, IA 52242
- 1 Dr. Jesse Orlansky  
Institute for Defense Analyses  
400 Army Navy Drive  
Arlington, VA 22202
- 1 Dr. Wayne M. Patience  
American Council on Education  
GED Testing Service, Suite 20  
One Dupont Circle, NW  
Washington, DC 20036

- 1 Dr. James A. Paulson  
Portland State University  
P.O. Box 751  
Portland, OR 97207
- 1 Mr. Luigi Petruccio  
2431 North Edgewood Street  
Arlington, VA 22207
- 1 Dr. Diane M. Ramsey-Klee  
R-K Research and System Design  
3947 Ridgemont Drive  
Malibu, CA 90265
- 1 Mr. Minrat M. L. Rauch  
P II 4  
Bundesministerium der Verteidigung  
Postfach 1328  
D-53 Bonn 1  
GERMANY
- 1 Dr. Mark D. Reckase  
Educational Psychology Department  
University of Missouri-Columbia  
4 Hill Hall  
Columbia, MO 65211
- 1 Dr. Andrew Rose  
American Institutes for Research  
1055 Thomas Jefferson St., NW  
Washington, DC 20007
- 1 Dr. Leonard L. Rosenbaum, Chairman  
Department of Psychology  
Montgomery College  
Rockville, MD 20850
- 1 Dr. Ernst Z. Rothkopf  
Bell Laboratories  
600 Mountain Avenue  
Murray Hill, NJ 07974
- 1 Dr. Lawrence Rudner  
403 Elm Avenue  
Takoma Park, MD 20012
- 1 Dr. J. Ryan  
Department of Education  
University of South Carolina  
Columbia, SC 29208
- 1 Prof. Fumiko Samejima  
Department of Psychology  
University of Tennessee  
Knoxville, TN 37916
- 1 Dr. Kazuo Shigemasu  
University of Tohoku  
Department of Educational Psychology  
Kawauchi, Sendai 980  
JAPAN
- 1 Dr. Edwin Shirkey  
Department of Psychology  
University of Central Florida  
Orlando, FL 32816
- 1 Dr. Robert Smith  
Department of Computer Science  
Rutgers University  
New Brunswick, NJ 08903
- 1 Dr. Richard Snow  
School of Education  
Stanford University  
Stanford, CA 94305
- 1 Dr. Robert Sternberg  
Department of Psychology  
Yale University  
Box 11A, Yale Station  
New Haven, CT 06520
- 1 Dr. Patrick Suppes  
Institute for Mathematical Studies in  
the Social Sciences  
Stanford University  
Stanford, CA 94305

- 1 Dr. Hariharan Swaminathan  
Laboratory of Psychometric and  
Evaluation Research  
School of Education  
University of Massachusetts  
Amherst, MA 01003
- 1 Dr. Kikumi Tatsuoka  
Computer Based Education Research  
Laboratory  
252 Engineering Research Laboratory  
University of Illinois  
Urbana, IL 61801
- 1 Dr. David Thissen  
Department of Psychology  
University of Kansas  
Lawrence, KS 66044
- 1 Dr. Robert Tsutakawa  
Department of Statistics  
University of Missouri  
Columbia, MO 65201
- 1 Dr. Howard Wainer  
Educational Testing Service  
Princeton, NJ 08541
- 1 Dr. David J. Weiss  
N660 Elliott Hall  
University of Minnesota  
75 East River Road  
Minneapolis, MN 55455
- 1 Dr. Susan E. Whitely  
Psychology Department  
University of Kansas  
Lawrence, KS 66044
- 1 Dr. Wolfgang Wildgrube  
Streitkraefteamt  
Box 20 50 03  
D-5300 Bonn 2  
WEST GERMANY

**DATE  
FILMED**

**8-8**